1957

WHOLESALE PRICE LIST

FOR

MARKET GARDENERS

હું છું કે ક

TETHER SEED CO., INC.

47-49 Fair Street - - - Paterson, N. J. Phone: SHerwood 2-2130

To Our Market Garden Friends:

We take pleasure in sending to you our new Market Garden Catalogue We do not compete with and are not dealing in cheap, poorly grown Stocks, but aim to supply Seeds of known purity, produced by careful selection and painstaking care from pedigreed Seed Stock, believing that our seeds are our best advertisement.



This list Cancels All Previous Offers.

DAYS: In listing the number of days from planting to marketable condition, we have used the average results secured over a period of years. These figures apply to planting under normal conditions, but the number of days indicated will serve to show the relative maturity of the different varieties.

All goods in this Catalogue are offered subject to being unsold on receipt of order and the prices are subject to change without notice.

TERMS:

Bills rendered to regular customers or parties of approved credit from January 1st up to June 1st are due on July 1st. After June 1st all goods are sold on thirty day basis.

When cash accompanies order, 5% discount may be deducted from catalogue prices on seeds only.

DISCLAIMER

TETHER SEED CO., Inc. warrants to the extent of the purchase price that seeds sold are as described on the container within recognized tolerances. We give no other or further warranty express or implied.

ORDER SHEET

TETHER SEED CO., INC.

47 - 49 FAIR STREET, PATERSON, N. J.

		195
NAME		
STREET or F	R.F.D	
	E STATE	
FREIGHT of	FICE	
ETHER SEED Core as described	O., INC. warrants to the extent of the purchase price on the container within recognized tolerances. We express or implied.	e that seeds
QUANTITY	NAME OF SEEDS OR ARTICLES WANTED	PRICE
		1
		

QUANTITY	NAME OF SEEDS	OR ARTICLE	S WANTED	PR	CE
		1	:)		
			7		
				-	
		<u></u>			
			1		
				,	
				7	
					1 =

STRING BEANS

DWARF GREEN PODDED VARIETIES

1 lb. will plant 100 ft. row; 1 bus. 60 lbs per acre

Black Valentine (stringless)	1 bus. 60 lbs. \$20.50
Bountiful	21.50
Contender	21.50
Primarily a black-seeded Eountiful. Plant strong and productive. Pods flat, fairly straight medium green brittle and stringless. 50 days.	21.50
Streamliner	25.50
Tendergreen	22.50
DWARF BUTTER OR WAX PODDED VARIETIES	00.11
Sure Crop Wax	60 lbs. 1 bus. \$21.50
Cherokee Wax	21.50
POLE OR RUNNING BEANS	
Kentucky Wonder or Old Homestead	1 bus. 60 lbs. \$28.50

LIMA BEANS

DWARF OR BUSH VARIETIES

1 lb. will plant 100 ft. row; 3/4 bus. 45 lbs. per acre

	1 lb.	10 lbs.	1 bu s. 60 lbs.
Fordhook Bush 242 Plant large and productive. Pods slightly cur to 4 large thick-oval, light green beans. Yield temperature conditions. 75 days.	.65 rved, con s well u	\$5.00 staining 3 nder high	\$23.00
POLE VARIETIES			
1 lb. will plant 100 hills; $1\!\!/_2$ bus. 30 ll	b s . per a	cre	
	1 lb.	10 lbs.	1 bus. 60 lbs.
Plants very vigorous, hardy, late and production inches long, containing 4 to 5 very thick, magreen beans of excellent quality. Also known 92 days.	ve. Pods edium si	zed, light	\$29.00
Early Leviathan A very early podded variety. Pods 5 to 6 inches 5 to 6 large, flat, white beans. 90 days.	.80 es long, c	6.00 containing	29.00
BEETS			
TABLE VARIETIES			
1 oz. will plant 50 ft. row; 6 to 8 ll	bs. per a	cre	
1 oz. ½ lb.	1 lb.	10 lbs.	25 lbs.
Detroit Dark Red \$.20 \$.50 The best late all around beet. Tops are large shape, very smooth and small tap root. Skin tense deep red without zones. Very tender at	dark red	l flesh in-	\$31.25
Short Top Detroit	erical. C	15.00 ly shorter color deep	31.25
Early Wonder Tall Green Top .20 .50 Tops tall, erect, green, uniform in size and of tractively for market. Roots round when you later, deep red, smooth with small tap root. Fittender and of excellent quality. 57 days.	1.65 color, bur ng, flatte lesh deep	15.00 nching at- ened globe dark red,	31.25
Green Top Bunching	1.65 are roun	15.00 dd, smooth dium and	31.25

SWISS CHARD

1 oz. will plant 75 ft. row; 8 lbs. per acre

Fordhook Giant	 ½ lb. \$.45 broad, up with broad 	1 lb. \$1.40 right in ad white	10 lbs. \$13.00
Dark Green Smooth Leaf	.45 s and mid- 60 days.	1.40 ribs are	13.00
MANGEL WURZEL AND SU	GAR BI	EETS	
1 oz. will plant 75 ft. row; 6 lbs.			
Leviathan Long Red	1/4 lb. \$.35 well above 110 days.	1 lb. \$1.00 ground;	5 lbs. \$ 4.50
BROCCOLI			
1 oz. will produce 1500 to 2000	plants		
Italian Green Calabrese	cut sprouts s in small heads are	er green market-	1 lb. \$ 5.00
Raab Early spring, rapid growing annual producin of leaves and tender flower shoots, used as seed rapidly and should be cut before they Plant 12 to 15 inches high.	g a liberal	noots to	2.50
BRUSSEL SPROU	ГS		
1 oz. will produce 1500 to 2000	plants		
Long Island Improved	early and	1/4 lb. \$3.00 compact, days.	1 lb. \$10.00
CABBAGE			
1 oz. will produce 2000 plants; $1/4$	lb. per acr	e	
CHINESE OR CELERY CA	BBAGE		
	1 oz.	1/4 lb.	1 lb.

Michihli—Improved Strain \$.50 \$ 5.00 \$1.50

70 days. The earliest and most sure heading variety 18 to 20 inches tall. 3½ to 4 inches thick, tapered at the tip, very firm, well blanched, crisp, tender and sweet. So far the best market garden strain.

Cabbage continued next page

CABBAGE

1 oz. will produce 2000 plants; $\frac{1}{4}$ lb. per acre

The days indicated are the average required to produce marketable heads from the date of setting young plants in the field. Allow from 30 to 35 days to grow plants.

grow plants.	
YELLOWS RESISTANT VARIETIES	
1 oz. $\frac{1}{4}$ lb.	1 lb.
Wisconsin Copenhagen \$2.35	\$ 8.00
69 days. Heads 4 to 6 pounds, very compact, almost round, very uniform in maturity and size. Plants blue-green foliage. 10 to 12 inches tall, short stem.	
Badger Market	8.00
70 days. Developed by Dr. J. C. Walker of the University of Wisconsin. Plants are dark green with small, round, solid heads weighing about three pounds. Will stand close planting. Has much of the standing capacity of Racine Market which is one of the parents.	
Resistant Golden Acre	8.00
65 days. Produces small, compact erect plants of blue-green color. The globular, solid heads are about six inches in diameter. The earliest round-head yellows resistant variety.	
Racine Market	7.50
68 days. Plant compact, short stemmed, upright distinct blue- green leaves with erect growth. Round, solid heads, about 6½ inches in diameter. A yellow resistant Early Copenhagen Market type.	
Marion Market	8.00
75 days. Plant medium stemmed with blue-green foliage. Heads 6 to 7 inches in diameter, round and firm. A yellows resistant Copenhagen Market, somewhat slower developing and larger headed. A heavy yielding second early variety for market or kraut.	
Improved Globe	8.50
80 days. A yellows resistant improved strain of Glory of En- khuizen. Plant large, vigorous, medium green. Head 7 to 8 inches in diameter, compact and globular.	
Empire Danish Ballhead 1.00 3.00	10.00
95 days. A yellow resistant variety developed at New York State College of Agriculture. If planted close, heads will average 5 pounds or less. Color is typical Danish blue-green.	
Winconsin Ball Head	8.00
100 days. Plant upright, short stem with blue-green leaves. Heads very hard about 7 inches in diameter, weighing about 7 pounds, very uniform globe.	
Wisconsin Hollander No. 8	8.00
100 days. Plant upright, blue-green leaves, a vigorous grower. Head 7 to 8 inches in diameter, 7 to 9 pounds, globular to flattened globe, very firm. Excellent quality and heavy yielder.	
Bugner	7.50
110 days. A vigorous growing late maturing variety yielding large tonnage per acre. Medium stemmed, large spreading plant with deep blue-green leaves. Head 8 inches in diameter, 8 to 10 pounds, deep globe and flattened on top.	
RED CABBAGE	
1 oz. 1/4 lb. Red Acre	1 lb. \$10.00
74 days. The earliest red variety. Plant small, compact, short stemmed. Head medium size, round, hard, deep red uniform in shape and color.	
Mommoth Rock Red	Failure
90 days. Plant large, purplish-red with partly spreading habit. Head round to slightly flattened globe, 8 inches in diameter, about 7 pounds in weight and very solid.	

Cabbage continued next page

CABBAGE

1 oz. will produce 2000 plants; $\frac{1}{4}$ lb. per acre

STANDARD	EARLY	VARIETIES
----------	-------	-----------

	IE LIES		
	1 oz.	$\frac{1}{4}$ lb.	1 lb.
Golden Acre	\$.80	\$2.35	\$ 8.00
64 days. Plant small and compact allowing of stemmed with small, cup-shaped leaves. Hea- firm. 6 to 7 inches in diameter, weighing 3 to est and most popular of the round headed v	lose setti: d uniform 3½ pound	ng, short ly round,	# 5155
Early Jersey Wakefield	50	1.50	5.00
62 days. Plant small, compact with medium geonical, usually 7 inches deep, 5 inches near 2½ pounds, greenish white interior and fair	base, we	es. Head ight 2 to	
Copenhagen Market	50	1.50	5.00
66 days. Plant erect, compact, short-stemmed medium light green. Head uniformly round, s in diameter, weighing 3 to 4 pounds.	, few oute solid, 6 to	r leaves, 7 inches	
INTERMEDIATE VARIE	TIES		
	1 oz.	$\frac{1}{4}$ lb.	1 lb.
Bonanza	\$1.00	\$3.00	\$10.00
75 days. Plants somewhat uneven. Head mostland uniform with possibly shortest core of an a small firm head early in the season which At mautrity heads average 6½ inches in diam in weight. Extremely slow to produce seede	ny cabbag continues neter and	e. Forms to grow.	
LATE OR WINTER VARI	ETIES		
	1 oz.	$\frac{1}{4}$ lb.	1 lb.
	\$.80	\$2,35	
Danish Ball Head, Short Stem		Ψ2.00	\$ 8.00
100 days. Plant short-stemmed medium large Heads 8 inches in diameter, weight 5 to 7 globe shape with a short core. Very firm and quality and excellent keeper.	blue-gre pounds, l solid of	en color	\$ 8.00
100 days. Plant short-stemmed medium large Heads 8 inches in diameter, weight 5 to 7 globe shape with a short core. Very firm and quality and excellent keeper.	pounds, I solid of	en color	\$ 8.00 8.00
100 days Plant short-stemmed medium large	pounds, and solid of solid of solid of solid of solid of solid sol	en color, flattened splendid 2.35 n leaves.	,
100 days. Plant short-stemmed medium large Heads 8 inches in diameter, weight 5 to 7 globe shape with a short core. Very firm and quality and excellent keeper. Penn. State Ball Head 100 days. Plant medium large, short stemmed, Heads attractive, flattened globe-shaped, 8 t 6 to 7 inches deep, weight 7 to 9 pounds, creamy-white interior. One of the most unifor	pounds, and solid of solid of solid of solid of solid of solid sol	en color, flattened splendid 2.35 n leaves.	,
100 days. Plant short-stemmed medium large Heads 8 inches in diameter, weight 5 to 7 globe shape with a short core. Very firm and quality and excellent keeper. Penn. State Ball Head 100 days. Plant medium large, short stemmed, Heads attractive, flattened globe-shaped, 8 t 6 to 7 inches deep, weight 7 to 9 pounds, creamy-white interior. One of the most unifor keeping qualities and yields high tonnage per	.80 blue-gree o 9 inches very solid m types, er acre60 d, erect a	2.35 n leaves. s across, with a excellent 1.80 nd com-	8.00
100 days. Plant short-stemmed medium large Heads 8 inches in diameter, weight 5 to 7 globe shape with a short core. Very firm and quality and excellent keeper. Penn. State Ball Head 100 days. Plant medium large, short stemmed, Heads attractive, flattened globe-shaped, 8 t 6 to 7 inches deep, weight 7 to 9 pounds, creamy-white interior. One of the most unifor keeping qualities and yields high tonnage per Ferry's Hollander 105 days. Plants medium small, short stemmed pact, extremely hardy. Heads spherical, 6 to 7 and weigh 6 to 7 pounds, remarkably firm and quality.	.80 blue-gree o 9 inches very solid m types, er acre60 d, erect a	2.35 n leaves. s across, with a excellent 1.80 nd com-	8.00
100 days. Plant short-stemmed medium large Heads 8 inches in diameter, weight 5 to 7 globe shape with a short core. Very firm and quality and excellent keeper. Penn. State Ball Head 100 days. Plant medium large, short stemmed, Heads attractive, flattened globe-shaped, 8 t 6 to 7 inches deep, weight 7 to 9 pounds, creamy-white interior. One of the most unifor keeping qualities and yields high tonnage per Ferry's Hollander 105 days. Plants medium small, short stemmed pact, extremely hardy. Heads spherical, 6 to 7 and weigh 6 to 7 pounds, remarkably firm and	.80 blue-gree o 9 inches very solid m types, er acre60 d, erect a	2.35 n leaves. s across, with a excellent 1.80 nd com-	8.00

88 days. Plant medium size, short stemmed, compact, dark green savoyed leaves. Head medium large, drumhead type, thick, flat rounded on top, flat at base, firm and well folded. Stands long time without bursting. Very uniform and the best of the savoy types.

Chieftan

1 oz.

 $\frac{1}{4}$ lb.

\$2.25

1 lb.

\$ 7.50

CARROT

1 oz. will plant 300 ft. row; 4 lbs. per acre

		1 oz.	1/4 lb.	1 lb.	10 lbs.
	enay, Long Type	oots 8 inc stump-ro	thes long, 2 oted at ma	inches turity,	\$22.00
Ę	enay, Red Cored 70 days. Tops 15 to 20 inches tall. 5½ to 6 inches long, 2¼ inches thic stump-rooted. Core and flesh nearly grained and tender. Excellent for ca	Roots de k at the the same	.75 ep reddish- shoulder, t color. Fles d freezing.	2.25 orange apered, sh fine-	22.00
	ers Special Red Cored	Roots 7 to and tap of similar	ered to blu color, tend	nt end.	22.00
	Spike	compact, s long, 7/	coarsely c 8 to 1% in to the en insignifican	3.00 ut and ches in d. The nt core	28.00
	et Nantes or Coreless	Roots bri drical, st tender. C	ump-rooted ore incons	Flesh picuous	24.50
	inson	out 10 inc	re-red. Verv	r popu-	27.00
Imper	77 days. Tops medium, abundant, str ing. Roots 8 inches long, 1½ inche smooth, uniformly tapered to a sen ange color, extending to center of re excellent quality. Chiefly used for h	s at the ni-blunt e oot, fine-g	rounded sh nd. Flesh r	ich or-	24.50
	rs or California Bunching 77 days. Tops medium short and struct. Roots at maturity 1½ to 1½ cylindrical with round shoulder, well throughout. Excellent bunching car	ong; folia by 8 inch stumped.	es in size, Color rich	2.50 coarsely almost orange	24.50

CELERIAC

1 oz. will produce 10,000 plonts

	1 oz.	$\frac{1}{4}$ lb.	1 lb.
Large Smooth Prague	\$1.00	\$3.00	\$10.00
Turnip rooted celery. Roots 3 to 4 inches in fairly smooth; stalks hollow and dark green	diameter; n.	globular;	

CAULIFLOWER

1 oz. will produce 2000 plants; 1/4 lb. per acre

The number of days indicated are the average required to produce heads from the date the young plants are set in the field. Usually it is 30 to 35 days from the time seed is sown until the young plants are ready for the open field.

Early Snowball No. 50	$\frac{1}{4}$ oz. \$1.00	1 oz. \$3.50	4 oz. \$12.00	1 lb. \$40.00
55 days. Plants of medium height, more than ample to cover the head heavy, ivory white, with a tight att. Early and maturing somewhat uneving period. Excellent for early spring	l. Heads a ractive cu ren. givins	are of goo ard, of fine a longer	od depth, e quality, market-	
Late Snowball No. 60	1.00	3.50	12.00	40.00
60 days. The most satisfactory strain vest. The plants are large and erect green foliage to cover the heads. T very deep, solid and pure white. Exconcentrated.	with am he heads	ple mediu are large	m bright smooth,	

CELERY

1 oz. will produce 10,000 plants; $\frac{1}{4}$ lb. per acre

The number of days given for maturity are those normally required from time of setting plants in the field to earliest harvesting.

YELLOW OR GOLDEN VARIETIES

Dreyer's Special \$2.00 \$5.5 About 10 days later than our Golden Prize, but has a very hear rib which is a trifle shorter, and a large golden heart. The strain will produce 10 percent more crates per acre because its heavy shoulder and compact stalk which is unsurpassed than yother Celery on the market. 85 days.	0 \$20.00 ry is
Golden Prize	a
Golden Plume or Wonderful	
Cornell No. 619	a- ell in
Cornell No. 19 Developed and introduced by the New York College of Agricu ture. A cross between Golden Self-Branching and Utah. Plan 24 to 25 inches tall, 10½ to 11 first joint. Hearts long and comparatively full. Stems thick, rounded and smooth texture. High resistant to fusarium yellows. This variety should not be planted nor set in the field too early in the Spring as it appears to go seed very readily if checked by Spring frost or cold weather Also known as Yellow or Ivory Pascal. About 100 days.	ts ts t- ty ed

Celery continued next page

CELERY

1 oz. will produce 10,000 plants; $\frac{1}{4}$ lb. per acre

GREEN VARIETIES

GREEN VARIETIES			
California Pascal	1 oz. \$2.00	$\frac{1}{4}$ lb. \$5.50	1 lb. \$20.00
An outstanding strain of green celery. Plants a medium dark green, erect and compact. Stems long, round, thick, waxy in appearance, blanch crisp and of excellent quality. 120 days.	re 26 to 23 are 8 to 1 es readily	8 inches, 0 inches , tender,	
Pennsylvania Pascal	2.00	5.50	20.00
A most desirable, green variety of excellent quaiur height, stocky and compact. Stems are ver full rounded; blanches a yellowish-white wi glazed smooth surface, without stringy ridges of a fine nutty flavor. 120 days.			
Summer Pascal (Waltham Strain)		5.50	20.00
Plants of medium height with good length to t fairly large heart. The stalks are nearly round smooth and glazed with practically no stringy tle and good quality. 120 days.	he first ic	oint, and ry thick, ery brit-	
Tall Utah Pascal 52-70		5.50	20.00
A Pascal type, slightly larger than Utah 10 leaved. Overall height 28 to 30 inches. Rib 9½ rounded, thick, smooth and medium dark green rib count, makes large sizes, has high hearts pact and tightly shingled. 120 days.	ı. Has a v	ery nign	
Non-Bolting Green No. 12		9.00	30.00
Of the Utah or California Pascal type, but sho ance against bolting under unfavorable condi are erect, vigorous with long, thick ribs of 9 Growth is compact, producing stalks that par	ws a strontions. The to 10 inch ck very v	ng toler- e plants nes long. vell.	
COLLARDS			
1 oz. will plant 100 feet of	drill		
1 oz. Georgia \$.20	¹ / ₄ lb. \$.45	1 lb. \$1.25	10 lbs. \$12.00
Georgia \$.20	¹ / ₄ lb. \$.45	\$1.25	
A leafy, non-heading plant of the cabbage greens. Plant 2 to 3 feet tall, erect and sp. blue-green crumpled leaves under adverse c and poor soil. 75 to 80 days. Vates Non-Heading .20	1/4 lb. \$.45 family grreading, nonditions	\$1.25 own for produces of heat	
Georgia \$.20 A leafy, non-heading plant of the cabbage greens. Plant 2 to 3 feet tall, erect and sphlue-green crumpled leaves under adverse cand poor soil. 75 to 80 days.	1/4 lb. \$.45 family grreading, ponditions .60	\$1.25 own for produces of heat	\$12.00
A leafy, non-heading plant of the cabbage greens. Plant 2 to 3 feet tall, erect and sphlue-green crumpled leaves under adverse cand poor soil. 75 to 80 days. Vates Non-Heading .20 Introduced by the Virginia Truck Experiment bolting variety having broad, thick, glossy lebloom but no purple veining. Produces a bro	1/4 lb. \$.45 family grreading, ponditions .60	\$1.25 own for produces of heat	\$12.00
Georgia \$.20 A leafy, non-heading plant of the cabbage greens. Plant 2 to 3 feet tall, erect and spour blue-green crumpled leaves under adverse cand poor soil. 75 to 80 days. Vates Non-Heading20 Introduced by the Virginia Truck Experiment bolting variety having broad, thick, glossy le bloom but no purple veining. Produces a broplant 80 days.	1/4 lb. \$.45 family grreading, yonditions .60 Station. aves with ad and s	\$1.25 own for produces of heat 1.75 A slow- a slate preading	\$12.00
A leafy, non-heading plant of the cabbage greens. Plant 2 to 3 feet tall, erect and spiblue-green crumpled leaves under adverse cand poor soil. 75 to 80 days. Vates Non-Heading	1/4 lb. \$.45 family grreading, yonditions .60 Station. aves with ad and s	\$1.25 own for produces of heat 1.75 A slow- a slate preading	\$12.00 15.00
Georgia \$.20 A leafy, non-heading plant of the cabbage greens. Plant 2 to 3 feet tall, erect and spiblue-green crumpled leaves under adverse cand poor soil. 75 to 80 days. Vates Non-Heading20 Introduced by the Virginia Truck Experiment bolting variety having broad, thick, glossy le bloom but no purple veining. Produces a broplant 80 days. CORN SALAD	1/4 lb. \$.45 family grreading, ronditions .60 Station. aves with ad and s s. per acr 1 oz. \$.20 ed. thick.	\$1.25 own for produces of heat 1.75 A slow-a a slate preading e 1/4 lb. \$.60 medium	\$12.00 15.00
A leafy, non-heading plant of the cabbage greens. Plant 2 to 3 feet tall, erect and spending plant of the cabbage greens. Plant 2 to 3 feet tall, erect and spending plant of the cabbage greens. Plant 2 to 3 feet tall, erect and spending plant spending plant spending and poor soil. 75 to 80 days. Vates Non-Heading .20 Introduced by the Virginia Truck Experiment bolting variety having broad, thick, glossy le bloom but no purple veining. Produces a broplant 80 days. CORN SALAD 1 lb. will plant 150 hills; 12 to 15 lbs. Large Seeded, Large Leaved A thrifty, large growing sort producing round grey-green, tender leaves that grow in the factorization.	1/4 lb. \$.45 family grreading, ronditions .60 Station. aves with ad and s s. per acr 1 oz. \$.20 ed. thick.	\$1.25 own for produces of heat 1.75 A slow-a a slate preading e 1/4 lb. \$.60 medium	\$12.00 15.00
A leafy, non-heading plant of the cabbage greens. Plant 2 to 3 feet tall, erect and sp blue-green crumpled leaves under adverse c and poor soil. 75 to 80 days. Vates Non-Heading20 Introduced by the Virginia Truck Experiment bolting variety having broad, thick, glossy le bloom but no purple veining. Produces a broplant 80 days. CORN SALAD 1 lb. will plant 150 hills; 12 to 15 lbs. Large Seeded, Large Leaved	1/4 lb. \$.45 family grreading, ronditions .60 Station. aves with ad and s s. per acr 1 oz. \$.20 ed. thick.	\$1.25 own for produces of heat 1.75 A slow-a a slate preading e 1/4 lb. \$.60 medium	\$12.00 15.00 1 lb. \$ 2.00
A leafy, non-heading plant of the cabbage greens. Plant 2 to 3 feet tall, erect and sphlue-green crumpled leaves under adverse cand poor soil. 75 to 80 days. Vates Non-Heading 20 Introduced by the Virginia Truck Experiment bolting variety having broad, thick, glossy lebloom but no purple veining. Produces a broplant 80 days. CORN SALAD 1 lb. will plant 150 hills; 12 to 15 lbs. Large Seeded, Large Leaved A thrifty, large growing sort producing round grey-green, tender leaves that grow in the factor of the second	1/4 lb. \$.45 family grreading, young to station. aves with ad and s s. per acr 1 oz. \$.20 ed, thick, orm of a	s1.25 own for produces of heat 1.75 A slow- a slate preading e '/4 lb. \$.60 medium rosette.	\$12.00 15.00 1 lb. \$ 2.00
A leafy, non-heading plant of the cabbage greens. Plant 2 to 3 feet tall, erect and sp blue-green crumpled leaves under adverse c and poor soil. 75 to 80 days. Vates Non-Heading 20 Introduced by the Virginia Truck Experiment bolting variety having broad, thick, glossy le bloom but no purple veining. Produces a broplant 80 days. CORN SALAD 1 lb. will plant 150 hills; 12 to 15 lbs. Large Seeded, Large Leaved A thrifty, large growing sort producing round grey-green, tender leaves that grow in the factorial to the factorial square. CORN Ornamental Squaw Also known as Indian Corn. Used chiefly for pecially at Halloween. Ears contain multi-co	1/4 lb. \$.45 family grreading, young to station. aves with ad and s s. per acr 1 oz. \$.20 ed., thick, orm of a	s1.25 own for produces of heat 1.75 A slow- a slate preading e '/4 lb. \$.60 medium rosette.	\$12.00 15.00 1 lb. \$ 2.00
A leafy, non-heading plant of the cabbage greens. Plant 2 to 3 feet tall, erect and sp blue-green crumpled leaves under adverse cand poor soil. 75 to 80 days. Vates Non-Heading 20 Introduced by the Virginia Truck Experiment bolting variety having broad, thick, glossy le bloom but no purple veining. Produces a broplant 80 days. CORN SALAD 1 lb. will plant 150 hills; 12 to 15 lbs. Large Seeded, Large Leaved A thrifty, large growing sort producing round grey-green, tender leaves that grow in the factor of the second se	1/4 lb. \$.45 family grreading, young to station. aves with ad and s s. per acr 1 oz. \$.20 ed, thick, orm of a	s1.25 own for produces of heat 1.75 A slow- a slate preading 4 lb. \$.60 medium rosette. 1 lb \$.60 ting, es- nels.	\$12.00 15.00 1 lb. \$ 2.00
A leafy, non-heading plant of the cabbage greens. Plant 2 to 3 feet tall, erect and sp blue-green crumpled leaves under adverse c and poor soil. 75 to 80 days. Vates Non-Heading20 Introduced by the Virginia Truck Experiment bolting variety having broad, thick, glossy le bloom but no purple veining. Produces a broplant 80 days. CORN SALAD 1 lb. will plant 150 hills; 12 to 15 lbs. Large Seeded, Large Leaved	1/4 lb. \$.45 family grreading, young to station. aves with ad and s s. per acr 1 oz. \$.20 ed, thick, orm of a	s1.25 own for produces of heat 1.75 A slow- a slate preading 4 lb. \$.60 medium rosette. 1 lb \$.60 ting, es- nels.	\$12.00 15.00 1 lb. \$ 2.00

SWEET CORN

 $\frac{1}{4}$ lb. will plant 100 ft. in hills; 10 to 12 lbs. per acre

HYBRID VARIETIES

	4 10	40 11-	400 11
Seneca Dawn		\$7.50	100 lbs. \$65.00
An outstanding early hybrid producing large stalk. Stalks $4\frac{1}{2}$ to 5 feet tall, strong and upri up from the ground, $6\frac{1}{2}$ inches long, 12 to yellow, fair quality kernels on a large cob. I good coverage to the end of the ear. 65 days.	ears ght. I 14 ro Heavy	on a short Ears are well ws, medium husks give	
Gold Rush	.8	7.00	60.00
This is truly the most productive of the early ties. Stalks are 6 feet tall with heavy foliage, tapered, 8½ inches long, 12 to 14 rows of attrnels, with tightly wrapped husk. Tender, swee quality and flavor. Matures in about 68 days.	Ears	are slightly	
Golden Beauty		35 7.50	65.00
The finest early hybrid produced in years, resisome resistance to wilt. Ears 7½ to 8 inches lewell filled tips with kernels of medium width 5 to 6 feet tall; very few suckers; dark greleaves. 72 days.	ong; 1 and d	.2 rows; well lepth. Stalks	
Marcross C 6-13	.7	5 6.50	55.00
A first, good hybrid for early market. Stalks al and highly resistant to wilt. Ears 7 inches long tapered at tips; 10 to 14 rowed, with light crea- broad kernels of good quality. Matures in 72	bout 5 g, plu m-yel days	feet, sturdy mp, abruptly low, medium	
Carmel Cross	.8		60.00
An early mid-season type for market use. Ea long, 10 to 14 rowed, golden yellow kernels. Q Marcross C6-13, but not quite as good as Gold Plants 5 to 5½ feet high, sturdy. Matures in	rs 6½ uality en Cr 75 da	to 7 inches better than coss Bantam. ys.	
Golden Security	.8	5 7.50	65.00
A hybrid with definitely two ears to the stalk, cal, 14 to 16 rows, 8 to 8½ inches long, slight Kernels are bright golden yellow and good flav high. Highly resistant to Bacterial Wilt. Th stricts ear worm. 83 days.	Ears t tape for St te tig	are cylindri- r at the tip. alks 7½ feet ht husk re-	
Whipcross P. 39	.7	5 6.50	55.00
Stalk sturdy with strong foliage; highly resis disease; ears 7½ inches long, 12 to 14 rowed, tip; very prolific. Matures in about 84 days.	stant well	to Stewart's filled at the	
Golden Cross Bantam (White Tassel)	. 8.		60.00
The ears are light yellow, 10 to 14 rowed, 7½ they are very uniform and mature practically about 85 days. It yields very heavy and being heavy uniform growth, large dark green let stalks, 6 feet in height. It is resistant to will wrapped husks resist earworms. Matures in	a hyb aves, lt and	orid makes a with sturdy I the tightly	
Ioana	.8		60.00
Originated by Iowa State College. Highly Stalks 6½ to 7 feet high, sturdy and dark grades to 16 rowed, 8 inches long, cylindrical; will um narrow, yellow kernels. Matures in 87 days	resista reen i l filled ays,	ant to wilt. foliage. Ears with medi-	
Tagbias	Q	5 750	65.00
Originated by Iowa State College. Ears 9 to to 18 rows of very deep kernels, rich golden y 7 feet and vigorous. Excellent performance un ditions. 89 days.	10 ind rellow nder d	thes long, 16 Stalks 6 to brought con-	
Aristogold Bantam Evergreen	_		65.00
Easy to grow and stands hot, dry weather. Ellong with 16 to 18 rows of deep, juicy good quels. Stalks to 9 feet tall, sturdy and vigorous ers and dark green. Matures in 85 to 90 days. Power Pak.	ars 9 uality s; free Seed	to 10 inches golden ker- from suck- treated with	

CUCUMBER

1 oz. will plant 50 hills; 2 lbs. per acre

Ace	1 oz. \$.30 Color deep green. Fruits uniform nearly cylindrical, spered at the ends. 8 to 9 inches long, 2 to 2½ inc Attractive in appearance and holds its color well. 65	1/4 lb. \$.90 lightly ta- heal thick. days.	1 lb. \$ 2.75
Chic	Fruits medium green, nearly square ended; very preworted and ribbed at pickle size. If fruit is left on develop to 6½ inches long and 2½ inches thick, 59 december 100 develop to 6½ inches long and 2½ inches thick.	.80 blific; well wines, will ays.	2.50
Hybi	An early variety. Fruits dark green with lighter strip som end, 8½ to 9 inches long; 2½ inches thick, fair Excellent picking sort if picked when young. 62 days.	.80 s at blos-ly prolific.	2.50
Marl	An excellent market variety, unusually trim appearuniform. Fruits very dark green, cylindrical, slightlat the ends, 8 inches long, 2¼ inches thick. Seed artionally small. Vines very vigorous and yields heavil a long bearing season. 60 days.	rance and y tapered ea excep- y through	2.75
Strai	ght 8	and free	2.75
	ENDIVE		
	1 oz. will plant 150 ft. row; 4 to 5 lbs. per	acre	
Full	1 oz. ½ lb. Heart Batavian	1 lb. \$2.50	10 lbs. \$24.00
	right growth, with a dense mass of thick, slightly leaves strongly bunched to give a well blanched hear cellent market garden strain, 71 days.	crumpled ct. An ex-	
Flor	leaves strongly bunched to give a well blanched hear cellent market garden strain. 71 days. da Deep Heart	crumpled et. An ex-	24.00
	cellent market garden strain, 71 days. da Deep Heart	2.50 earts that rd making 2.50 iite Rib in the leaves than the leaves than the leaves than the rots than	24.00 24.00
Deep	da Deep Heart	2.50 earts that rd making 2.50 ite Rib in inter leaves a rots than a to clear 2.50 with curly, he center, inged with	

DILL

1	oz.	will	sow	а	200	ft.	row;	5	lbs.	per	acre

1 oz. will sow a 200 ft. row;	5 lbs. p	er acre		
Long Island Mammoth	.20 \$	4 lb. .45 reserves, lusters f	1 lb. \$1.40 , soups orm in	10 lbs. \$13.50
EGG PLAN 1 oz. will produce 1,000 plants		per acre	÷	
Black Beauty Plants thrifty 24 to 28 inches tall, community per plant. They are smooth, broavery rich dark purple, retaining color fruit 80 days after plants are set in the	monly bead, egg-sh	naped, ui	niform.	1 lb. \$ 9.00
Florida High Bush A hardy variety showing resistance to Plants 32 inches tall, upstanding, holds Fruits 9 to 10 inches long, 5½ to 6½ shaped, broadest near blossom end. Co and high gloss. 85 days after setting plants of the p	drought s fruits o in diame olor deep	purpusn	3.00 ot rot. ground. rly egg black	10.00
FENNEL				
1 oz. will plant 75 ft. row; 8 t	o 10 lbs.	per acre	€	
Florence (Finocchio) Plant 2 to 3 feet, with broad overlapping stacks but forming a flat-oval, bulb-like of the stem.	\$	oz30 imilar to ent at the	1/4 lb. \$.95 celery ne base	1 lb. \$ 3.00
KALE				
1 oz. will plant 500 ft. row;	$\frac{1}{4}$ lb. pe	er acre		
Dwarf Curled Scotch	\$ l blue-gr			1 lb. \$ 3.00
KOHLRAB	BI			
1 oz. will plant 200 ft. row;	4 lbs. pe	er acre		
Farly White Vienna Short Leaf	\$	davs afte	1/4 lb. \$1.00 er seed Bulbs inches , crisp	1 lb. \$ 3.50
LEEK				
1 oz. will plant 200 ft. row; 4	to 5 lbs.	per acre	•	
American Flag Early variety with long, thick, well-leaves large medium blue-green. 150 da	\$.60 white seed.	1/4 lb. \$1.80 stems;	1 lb. \$ 6.00
Musselburgh		.60	1.80	6.00
Long white stem with blue-green leaves Flag. Can stand over winter when clir 150 days.	s, longer mate is r	than Am not too	ierican severe,	

LETTUCE

1 oz. will sow 150 ft. row; $1\frac{1}{2}$ to 3 lbs. per acre

ICEBERG HEADING VARIETIES

Cornell or Imperial 456	1 oz.	$\frac{1}{4}$ lb.	1 lb.	10 lbs.
Cornell or Imperial 456	\$.60	\$1.80	\$6.00	\$58.00
Developed by U. S. Department of periment Station from same breedin Frame and head slightly smaller the um green, rather prominent ribs. He in the East. Particularly adapted Resistant to tip burn and early be sowing and late transplanting. 82 of	ng materia an Great l as proved a for growin olting. Use	ıl as Great Lakes, soli a verv sure	d medi- e header	
Great Lakes		1.75	5.50	53.00
Developed at Michigan State Colleg U. S. Department of Agriculture. C strains of the Iceberg types for the ous; head large, firm, outer leaves well-folded with tendency to heavy considerable resistance to tip burn weather. 82 days.	One of the East. Plan very dar mid-rib S	most sau nt large an k green b low-bolting	stactory d vigor- listered,	
Imperial 44	.5C	1.50	5.00	48.00
Developed from Imperial No. 152 fo dark green, head leaves long and slightly flattened heads, excellent pounds. Somewhat resistant to tip hot weather Very good for early tr	well wrap quality, v burn and	ped forming veighing 1 stands up	$_{12}^{\mathrm{mg}}$ firm, $_{22}^{\mathrm{to}}$ to $_{22}^{\mathrm{to}}$ well in	
Imperial 847 (Black Seeded Iceberg)	.50	1.50	5.00	48.00
Black seeded. Originally developed variety for California, now popular ket garden and shipping variety. Le light green. Heads medium large, firm. 83 days.	in East an eaves smoo	d South as oth, thick,	a mar- medium	
Pennlake	.60	1.80	6.00	58.00
Developed at Pennsylvania Experin Great Lakes and Imperial 847. Head outer leaves dark green slightly cru cut edges than Great Lakes; compa able ribbiness but equally solid an terior crisp and firm. Appears to be and late spring planting. 83 days.	medium lampled, wein mpled, wein ratively frad resistan	arge and c ll folded le ee from ot t to tip b	sompact; ss finely ojection- urn. In-	
Great Lakes 659	60	1.80	6.00	58.00
An outstanding lettuce completely weather lettuce but will take some maturing. It is the most tip burn having very dark color, smooth basage or carton lettuce, and is a very	e frost in resistant o e, making	the late s of all Grea an excelle	tages of t Lakes	
Premier or Early Great Lakes	60	1.80	6.00	58.00
Developed from an individual plant Pennsylvania State College. The searliness, smoothness, lack of ribbing. Heads solid, practically round, and two pounds in weight. Slow to burn. 7 to 10 days earlier than reg	selection ingle plant ness and u to 7 is bolt and verse.	t was sele niformity inches in c ery resista	cted for of head- diameter nt to tip	
New York PW 55	.50	1.50	5.00	48.00
A very early New York type, of co with small core and showing remar Its chief claim for wide favor seem in the crisp leaf class. Compared wearlier, smaller, of better quality, no to bolt.	rkable resi: is to be its vith Imper	stance to t s extreme ial 44 it is	tip burn. earliness a week	

Lettuce continued next page

LETTUCE

1 oz. will sow 150 ft. row; $1\frac{1}{2}$ to 3 lbs. per acre

BOSTON HEADING VARIETIES

P'r Postor		oz.		lb.	1 lb.	10 lbs.
Heads large and compact, with cre broad glossy, light green at the edg with reddish brown. Heads firm, well having a large frame. 76 days.	an	.30 ny yell which olded o	ow	.90 heart, slightly cellent	\$2.75 Leaves tinged quality	\$26.50
White Boston		.30		.90	2.75	26.50
The best strain of the butter head ty Big Boston. Practically free from tip hold several days in the field after seed. Plant and leaves entirely light yellow. 76 days.	bı	ırn and	d bo	ttom r	ot. Will	
LOOSE LEAVED	V.	ARIE	rie	S		
Early Curled Simpson	\$ rti gh	oz. .30 icularly t light of good	\$ pol	Ib. . 90 pular fo strous ality.	1 lb. \$2.75 or home green; 45 days.	10 lbs. \$26.50
ROMAINE LE	T'	TUCE				
Paris White Cos	\$	oz30 ical m	\$	1b. .90	1 lb. \$2.75 en self	10 lbs. \$26.50
firm and crisp with greenish-white i	nt	erior, 6) 0 U	ays.		
A very hardy, medium large, dark gr good size, firm, well folded head. 66	ee	.30 n varie ys.		.90 which	2.75 forms a	26.50
Parris Island Cos This new mosaic resistant cos lettuce C. Barnes of Charleston, S. C. for u prevents the production of good head to Dark Green Cos, but leaves sligh	s v	in are	elor eas aine	where Very	mosaic similar	39.00
MUSKME	L	NC				
1 oz. will plant 100 hills;	21	½ lbs.	per	acre		
Benders Surprise Excellent home and market garden va 6 inches diameter slightly oval; skin slightly ribbed with irregular patche bright salmon; very juicy, sweet and	ric	tr Tr	\$	oz30 % inch when ;; flesh	1/4 lb. \$.95 nes long mature, thick, 7 days.	1 lb. \$ 3.00
Hearts of Gold A popular mid-season variety. Fruit in diameter, slightly oval, distinctly netting over a dark green background color, sweet and juicy. 95 days.	61/6	inche	s 101	.30	.95	3.00
Hales Best A remarkable large early melon of the are oval, slightly ribbed and heavily very thick and of fine flavor. 80 days.	۵	Rocky	For	.30 d type almon	.95 Fruits flesh is	3.00

MUSTARD

1 oz. will plant 200 ft. row; 5 lbs. per acre

1 oz. will plant 200 ft.	row; 5 lbs	. per acre		
Fordhook Fancy A handsome upright growing, mild like, deeply fringed and cut on 50 days.	I variety, br	1/4 lb. \$.45 right green, Grown for	1 lb. \$1.25 plume- greens.	10 lbs. \$12.00
Southern Giant Curled Very hardy and early; most poper and wide, bright green and very though spreading, is quite upright seed as quickly as Fordhook Fance.	ular for gre curly on th t in growth	.45 eens. Leave le edges. P . Does not	1.25 es large lant al- bolt to	12.00
ONI				
1 oz. will plant 200 ft. ro	w; 4 to 6	ibs. per ac		
Early Yellow Globe	1 oz.	$\frac{1}{4}$ lb. \$1.35	1 lb. \$4.25	10 lbs. \$40.00
A full globe shape onion of rich de good keeper which will hold up in sorts. Vigorous grower and heavy two weeks earlier than Southport large, globe to flattened globe, skin firm and white. 98 days.	eep yellow c storage bett yielder and Yellow Glo	ter than mo d matures obe. Bulbs	at least medium	
Beltsville	85	2.35	8.25	80.00
A non-bolting white perennial growth, having grey-green round sistance to pink-root and smut. Jones of the U.S.D.A. 60 days.	bunching leaves. Shov	vs consider	able re-	
Ebenezer	45	1.35	4.25	40.00
One of the most hardy and best k for sets. The matured bulbs are k orange skin; flesh white of mild	eeping varie arge, somew	hat flatten	n chiefly ed, deep	
Southport Red Globe	45	1.35	4.25	40.00
Standard late white variety of h deep globe-shaped, small neck, th red; flesh fine-grained, white wit strong. 110 days.	ighest qual nick skin, v th faint tin	ity. Bulbs ery deep r ge of pink	medium ourplish- i; flavor	
Southport White Globe	50	1.50	5.00	48.00
Standard late white variety of h large, globe shaped, firm; skin white and fairly mild. Best keeper Also used for green bunching dur are desired.	ighest qual pure clear of the whi	ity. Bulbs white; flest te onions, I when sma	medium sh clear 10 days. all bulbs	
Sweet Spanish	50	1.50	5.00	48.00
Utah strain. The best of the ver Bulbs large, deep-globe shape st orange, flesh white, fine-grained, fair. 115 days.	y large, mil	skin deen	amber-	
White Portugal or Silver Skin	45	1.35	4.25	40.00
Most widely used white onion for ture bulbs and for bunching onio sired. Bulbs medium size, flat, but flesh white, firm, fine-grained a 100 days.	sets, pickling ons where set fairly deer	mall bulbs o: skin clea	are de- r white:	
Oriental or Evergreen White Bund	ching .45	1.35	4.25	40.00
The best straight or non-bulbing cluster of 4 to 6 marketable platfirst season, therefore seed should are ready for market in about 60 are often 6 inches long and ½ to are hardy and can be wintered of	g bunching nts from a not be sow days; the s	yn too thici ilver-white	bottoms	

OKRA or GUMBO

1 oz. will plant 50 ft.; 6 lbs. per acre

viii plant 50 rt., o lbs. per acre	
Dwarf Green \$.20 \$.50	1 lb. \$ 1.50
Plants 21/2 to 3 feet tall sturdy well branched Dod 7 inches	
long, slender, ribbed dark green. 50 days.	
PARSLEY	
1 oz. will plant 200 ft. row; 5 lbs. per acre	
1 oz. $\frac{1}{4}$ lb. 1 lb.	10 lbs.
Triple Curled \$.20 \$.60 \$2.00	\$19.00
Plant compact, vigorous and productive. Leaves very dark green and so finely cut and closely curled that they resemble tufts of moss. Excellent for flavoring, garnishing and culinary decora- tion. 70 days.	
Plain or Italian	19.00
The standard variety of plain parsely, Used largely for flavoring, leaves dark green, deeply cut, flat, but not curled. 72 days.	
Hamburg Rooted (Hymicha)	19.00
Locally known as "Hymicha." Forms fleshy roots resembling parsnips, 8 to 10 inches long and similar to celeriac in flavor. Leaves plain deeply cut, stems coarse and tough. Used for flavoring soups and stews. 90 days to maturity.	
PARSNIP	
1 oz. will plant 200 ft. row; 6 lbs. per acre	
1 oz. $\frac{1}{4}$ lb. 1 lb.	10 lbs.
All American \$.20 \$.45 \$1.40	\$13.00
An improved variety of considerable merit. Selected for white color and slightly more length. Root 12 to 14 inches long, 3 inches thick at the shoulder, tapering gradually to the tip, smooth and decided hollow-crowned, flesh white and tender. 95 days.	
Hollow Crown	13.00
Roots 10 to 12 inches long, $2\frac{1}{2}$ to 3 inches thick at the shoulder, hollow-crowned, uniformly tapered to the tip, quite smooth, flesh white and tender. 95 days.	
PEAS	
1 lb. will plant 100 ft. row; 2 bus. per acre	
1 lb. 10 lbs.	1 bus. 56 lbs.
Gradus or Prosperity \$.50 \$4.00	\$17.00
Early large podded variety. Height 3 feet. Pods 3¾ inches long, semi-round, straight, slightly curved at the tip and pointed, containing 6 to 8 large, sweet green peas.	
Laxtons Progress	17.00
The earliest large podded dwarf pea. Vines 18 to 20 inches tall, dark green and prolific. Pods 4 inches long, broad and pointed deep green containing 8 large, dark green peas of splendid quality.	
Worlds Record	17.00
An improved type of Gradus, being slightly earlier, more dwarf, true to type and productiveness. Height $2\frac{1}{2}$ feet.	
Telephone	17.00
A standard high quality, large podded pea. Height $4\frac{1}{2}$ feet. Pod $4\frac{1}{2}$ inches long, medium green, straight, broad and pointed, containing 8 large green peas.	
Dwarf Grey Sugar (Edible Pods)	21.00
Height 3 feet. Pods light green, 2½ inches long, ½ inch broad, square ended containing 7 light green peas.	

PEPPER

1 oz. will produce 1500 plants; $\frac{1}{2}$ lb. per acre

Maturity dates indicate approximate time required from setting plants into the field to the production of marketable green peppers. Allow 6 to 8 weeks to produce young plants.

	1 oz.	½ lb.	1 lb. \$ 9.50
California Wonder	\$1.00	\$3.00	ф 3.30
Plant thrifty upright heavily productive over Fruits very large smooth and regular; commonl and 3½ to 4 inches through; deep green turning flesh extremely thick and firm, sweet flavor. 75	ly 4½ inc g bright	nes ions	
Allbig (Illinois F-5)	1.25	3.50	12.00
Developed at University of Illinois. Plants mo Worldbeater bearing fruit during warm summe are three to four lobed, $3\frac{1}{2}$ inches wide, averag and are dark green, with medium thick walls.	e 5% inc	s. Fluits	
Liberty Bell	2.00	5.50	20.00
Mosaic resistant. Fruits are similar to Califor borne pendently. Better shape than Yolo Wonde infolding at the nose. Color attractive-dark gi	rnia Woi er becaus reen. 75	nder but se of less days.	
Oakview Wonder	1.00	3.00	9.50
An outstanding pepper developed from Calife week earlier and better yielder. The fruits are a turning bright crimson, slightly smaller but be symetrical with thick firm walls and high qua Wonder. The plants are more compact and no parent strain, but much heavier yielder. 63 de	ornia Wodeep glos lockier a lity of C ot as tal	onder, a sy green and more california ll as the	
Burlington	.80	2.35	8.00
A Mosaic Resistant Strain of Worldbeater de for the East Coast. Fruits are similar to Wor large, oblong, deep green becoming bright dee	veloped 1 ldbeater, p red. 72	primatily medium days.	
Large Red Cherry	.80	2.35	8.50
For use in pickles. Plant vigorous, upright ar round, about one inch in diameter, smooth, so or hot; color deep green changing to deep sca	nd prolifi lid, very rlet. 82 (c, Fruits pungent lays.	
Long Red Cayene	.85	2.50	8.50
Fruits about 5 inches long and ¾ inches in diar often curved and twisted; bright red, hot and	neter at pungent.	the base, 70 days.	
Neapolitan	.80	2.35	8.00
A very early, medium large, prolific variety. From 2 inches in diameter, 3-lobed, upright in green, becoming bright red, flesh mild and sw	uits 4 inc rowth; veet, 60	hes long. yellowish days.	
Sunybrook or Cheese	1.00	3.00	10.00
Fruits tomato-shaped, 2 inches deep, 3 inches glossy dark green turning to deep scarlet red. sweet. Early and productive. 75 days.	diameter . Flesh t	; smooth hick and	
Worldbeater, No. 13 Mosaic Resistant	.80	2.35	8.00
Our strain is resistant to mosaic, a disease this section; will yield a crop of peppers where the strains often fail. Plant vigorous, upright and Fruits 4-lobed, 5 inches long, 3½ inches in diam green, changing to bright deep red; flesh thick 70 days.	ieter, coi	OI EIUSSV	
Yolo Wonder	1.00	3.00	9.50
Developed by Campbell Soup Co. Mosaic residwarf and spreading with large leaves, denseabout a week later than California Wonder. If to 4 lobed, often infold at the nose, very thorne pendently. 78 days.	stant, P e foliage Fruits ar nick flesh	lants are and are e blocky, and are	

110.00

PUMPKIN

1 oz. will plant 25 hills; 3 to 4 lbs. per acre

1 oz. 1 lb. 10 lbs. Connecticut Field \$.20 \$.60 \$2.00 \$19.00 Standard field pumpkin for pies, canning and stock feed. Fruits very large, commonly 10 inches long, 12 inches in diameter, weighing 20 pounds, sometimes much larger; skin smooth, deep orange-yellow; shell thin; flesh thick, coarse, sweet and deep yellow; 120 days vellow, 120 days. Large Cheese (Special Strain)25 21.00 Our stock is uniform, true to type, dependably early and heavily productive. Fruits large, flattened, commonly 12 to 15 inches in diameter and half as deep; sometimes much larger, furrowed; skin creamy buff; flesh extremely thick, deep salmon-yellow and of good quality. 120 days. Small Sugar20 .60 2.00 19.00 Earliest and best for pies. Fruits commonly 6 inches long, 8 to 9 inches diameter; flattened, furrowed, skin smooth, rich red-dish-orange; rind hard; flesh thick, orange-yellow of unexcelled quality. 115 days. 29.00 9 inches high; measures 7 to 8 inches in diameter; with smooth skin and firm even textured flesh. RADISH 2 oz. will plant 100 ft. row; 8 to 10 lbs. per acre 1 oz. $\frac{1}{4}$ lb. 1 lb. 10 lbs. 100 lbs. Early Scarlet Globe \$.20 \$.50 \$1.50 \$12.00 \$110.00 An excellent market garden strain for early spring or late fall planting. During the warm summer produces too long tops. Roots olive-shaped, skin rich bright scarlet; flesh white, crisp and of splendid quality. 23 days. Early Scarlet Globe Short Top .20 .50 1.50 12.00 110.00 A highly colored and very attractive radish bred for green-house forcing, growing on muck soil or high ground during the summer. Tops are grey-green and small; roots oblong-globe, slightly longer than broad, very firm and of bright almost true scarlet color. Very popular with market gardeners. 21 days. Cherry Belle20 .50 110.00 Roots are round, tap root small, color bright cherry-red; will remain solid and crisp after all other early radishes have become pithy. Tops are short. Primarily a forcing variety, and not recommended for early spring or late fall planting outside as cool nights and short days tend to retard top growth 22 days. Cavalier20 .50 1.50 A very fine outdoor and forcing, short top scarlet globe radish. Remains in good eating condition for a long period of time. True olive shape with a thin tap root. Especially good and uni-110.00 form on muck soils. 20 110.00 .50 1.50 12.00 Brightest red of Scarlet Globe type. Tops slightly larger than Short Top Scarlet Globe. Roots rich scarlet, oval and smooth, Remains in edible condition in hot weather longer than other strains. 24 days.

The best early white variety. Tops medium short. Roots $4\frac{1}{2}$ to $5\frac{1}{2}$ inches long, slender, tapering at the tips, very white; flesh clear white, brittle and of mild flavor. 30 days. Roots commonly 5 inches long, 1½ to 2 inches in diameter at the shoulder, tapered smooth and white; flesh firm, crisp and White Strasburg mildly pungent. 40 days.

Icicle

Round Black Spanish20 .50 1.50 12.00 Roots round 3 to 4 inches in diameter; skin black; flesh white, crisp and of strong flavor; keep well for winter use. 56 days.

RUTABAGA or SWEDE

1 oz. will plant 100 ft. row; 3 lbs. per acre

1 oz. 1/4 lb. 1 lb. 10 lbs. Improved American Purple Top ... \$.20 \$.35 \$ 1.00 \$ 9.00

Tops large, vigorous, blue-green. Roots 5 to 6 inches diameter; spherical, skin deep purplish-red above ground, light yellow below; tap root small; flesh yellow fine-grained, firm, crisp, mild and sweet. Often grown locally for tops as greens. 90 days.

SORREL

1 oz, will sow 150 ft, row; 5 to 8 lbs. per acre

Narrow Leaved — (Special Strain) \$.70 \$2.25 \$ 7.00

Used in salads and as greens. Sometimes called "Sour Grass" because of its acid taste. Plant perennial, with long, slender, thick, bright green upright leaves with mildly acid flavor. 60 days.

SPINACH

1 oz. will plant 100 ft. row; 10 to 12 lbs. per acre

1 lb. 10 lbs. 25 lbs. 100 lbs. Bloomsdale Savoy, Dark Green \$.65 \$5.00 \$11.25 \$40.00

Plant very early, hardy, vigorous and rapid growing; has tendency to go quickly to seed in hot weather; leaves medium large, distinctly blistered "savoyed" and crumpled; thick in texture; rich, deep, medium-dark, glossy, green. For late fall or early spring sowing. 40 days.

About 3 to 5 days later than Bloomsdale, but will stand two weeks longer before bofting to seed. Plants very uniform; leaves medium large, intensely blistered or savoyed and crumpled, very thick in texture and rich, deep dark glossy green. An excellent all season spinach. 45 days.

New Summer Long Standing Savoy . .65 5.00 11.25 40.00

A new and improved strain of Long Standing Savoy, distinguished for its darker Green Color. It will stand 3 to 4 days longer without bolting to seed and is remarkably uniform, with a trifle more curl than the parent. 45 days.

An excellent hot weather spinach. Plant very thick-leaved, glossy, dark green and well-savoyed. Slow growing and will stand to 10 days at maturity without going to seed. A slow-growing summer spinach of the Long Standing type. 50 to 55 days.

Virginia Blight Resistant Savoy65 5.00 11.25 40.00

Developed at the Virginia Experiment Station. The fastest growing of the savoy types of spinach; very similar to Bloomsdale Savoy; should only be used for late fall in our section as it is the quickest bolting of all savoy types in warm weather. 40 days.

A cross of Virginia Blight Resistant Savoy and King of Denmark. Large, dark green, heavily crumpled leaves somewhat pointed. Resistant to mosaic and stands fairly well without bolting, tolerant to cold soil. Used for early fall crop, also late fall sowing, for early spring harvest or wintering over. 40 days.

Haarlem Market (Prickly Seeded Savoy)
.65 5.00 11.25 40.00

This variety is earlier, quicker growing and hardier than Bloomsdale Savoy as well as being remarkably resistant to blight. Being hardier than round seeded spinaches, it will stand cold and unfavorable weather.

SQUASH

SUMMER VARIETIES

3 oz. will plant 100 hills; 3 to 4 lbs. per acre

1 oz. ½ lb.	1 lb. 10 lbs.
C . 11 7. 11 7.	\$2.25 \$21.50
Fruits straight, almost cylindrical, 16 to 18 inches long inches diameter at maturity; usually picked for market 6 to 8 inches long. Color dark green with lighter green st flesh pale greenish white, prolific, early and excellent question of the color o	and 6 when tripes; uality.
Caserta (Bush)	2.25 21.50
A new, extra early, prolific Cocozelle type developed by I C. Curtis at University of Connecticut. Fruits are light with small dark stripes, shorter and thicker than Cocvery good flavor. Plants dwarf and very prolific. 46 damaturity.	Dr. L. green ozelle, ys to
Early Prolific Straightneck (Bush)25 .75	2.25 21.50
A high yielding squash of the Summer Straightneck type, earlier and uniformly productive over a long period of time fruits are firm and marketable when only 4 to 5 inches lon are excellent when they attain full lenghth of 12 to 14 if They are straight, smooth and delicate creamy yellow in have no trace of green when very young. 50 days to mat	g and nches. color.
White Bush Scallop (Bush)	2.00 19.00 a dia- white
FALL OR WINTER VARIETIES	
3 oz. will plant 100 hills; 2 to 3 lbs. per acre	
1 oz. ½ lb.	1 lb. 10 lbs.
Blue Hubbard (Running) \$.25 \$.80	\$2.50 \$24.00
	\$2.50 \$24.00 eping rough
Blue Hubbard (Running)	\$2.50 \$24.00 seping rough Flesh s. 2.50 24.00
Blue Hubbard (Running)	\$2.50 \$24.00 seping rough Flesh s. 2.50 24.00 at the
One of the best Hubbards for sweetness, flavor and ke quality. Fruits 16 inches long, 10 inches diameter, slightly and ridged; rind very hard and strong, blue-green color. orange-yellow, thick, dry and fine-grained, sweet. 115 day. Butternut (Running)	\$2.50 \$24.00 seping rough Flesh s. 2.50 24.00 a good at the reamy t cav-
One of the best Hubbards for sweetness, flavor and ke quality. Fruits 16 inches long, 10 inches diameter, slightly and ridged; rind very hard and strong, blue-green color. orange-yellow, thick, dry and fine-grained, sweet. 115 day Butternut (Running)	\$2.50 \$24.00 seping rough Flesh s. 2.50 24.00 a good at the reamy t cav-
Blue Hubbard (Running) \$.25 \$.80 \$ One of the best Hubbards for sweetness, flavor and ke quality. Fruits 16 inches long, 10 inches diameter, slightly and ridged; rind very hard and strong, blue-green color. orange-yellow, thick, dry and fine-grained, sweet. 115 day Butternut (Running)	\$2.50 \$24.00 seping rough Flesh s. 2.50 24.00 a good at the reamy t cav-
Blue Hubbard (Running) \$.25 \$.80 \$ One of the best Hubbards for sweetness, flavor and ke quality. Fruits 16 inches long, 10 inches diameter, slightly and ridged; rind very hard and strong, blue-green color. orange-yellow, thick, dry and fine-grained, sweet. 115 day Butternut (Running)	\$2.50 \$24.00 seping rough Flesh s. 2.50 24.00 a good at the reamy t cav- 2.30 22.00 a dark t yel-quash 2.00 19.00 gray 4½ thin-
Blue Hubbard (Running)	\$2.50 \$24.00 seping rough Flesh s. 2.50 24.00 a good at the reamy t cav- 2.30 22.00 a dark t yel-quash 2.00 19.00 gray 4½ thin-

TOMATO

The number of days indicated represent the time required from setting of plants to produce marketable fruits.

1 oz. will produce 1500 plants; $\frac{1}{4}$ lb. per acre

	l oz.	½ lb.	1 lb.
Master Marglobe (N. J. State Certified) \$		\$2.25	\$ 8.00
By far the most popular tomato. Plants are stron heavy foliage, resistant to Fusarium wilt and moderately productive. Fruits are deep red, medily globular, smooth, solid and with thick walls tions, making small seed cells. 77 days.	ng, rok nail-h	oust, with lead rust,	
Queens	.80	2.25	8.00
Developed by L. G. Schermerhorn of the New Jeral Experiment Station, by selections from croand Rutgers. Fruits are medium in size, deep with a thick outer wall and inner walls, with sties; reasonably free from cracks. Foliage is in tween the small foliage of Valient and the Rutgers; in season the peak of its crop is about than Valient and at least a week or ten days eagers.	mall s terme	eed cavi- diate be- foliage of veek later	
Rutgers (N. J. State Certified)	.65	2.00	6.50
Developed by L. G. Schermerhorn of the New Je ral Experiment Station, by selection from a cross globe and J. T. D. The plants are large with the abundance of vigorous foliage, which protects sun-scald. The fruits are medium large, similarly Marglobe, but more flattened at the stem. The cwalls are thick with very small seed cavities. Flored throughout. Excellent for green-wrap. 86 days	nick s the f ur in	ruit from shape to and inner	
Pritchard or Scarlet Topper	.90	2.75	9.00
Fruits good size, round, brilliant red in color; the and with good small seed cavities. They color petto the top without any green spots and have litterack. 75 days.	rfectly	right up	
Valiant	.80	2.25	8.00
Introduced by Francis C. Stokes Company in 193 early, large, solid globe-shaped and of bright Vine upright to partly spreading and dark green	86. Fr scar 1. 70 (uits extra let color. lays.	
Valiant (Special Stock Seed)	5.00		
Plant and fruit same as above but seed is from of mother seed.	n spe	cial stock	
Stokesdale	.70	2.25	7.00
An early variety of Marglobe type, but slightly h turing a week to ten days earlier. Fruits ripen out, like Rutgers; quite free from cracking and heavy yielder. 73 days.	from	the inside	
Dwarf Champion	.90	2.75	9.00
A strictly dwarf variety, useful in home garder is limited. Produces excellent plants which are compact, stocky with dark green foliage. Fruit pinkish purple in color, flattened globe, smooth a commercial variety. 83 days.	shor	rt, heavy,	

TOMATO

The number of days indicated represent the time required from setting of plants to produce marketable fruits.

1	oz.	will	produce	1500	plants;	1/4	lb.	per	acre
---	-----	------	---------	------	---------	-----	-----	-----	------

1 oz. will produce 1500 plants; $1/4$ lb. per acre									
		1	oz.	½ lb.	1 lb.				
Gard	den State \$	\$.	90	\$2.75	\$ 9.00				
	Developed by Campbell Soup Company from en Pritchard, Marvel and Pink Topper. Plant vigoro sistant to Fusarium Wilt and late blight; fruits s globe-shape, attractive in color and size and t days.	us lig	, partia htly fla	lly re-					
Red	Top (Italian Red Plum)	1.	50	4.75	15.00				
	A new paste type tomato developed by New Yo Station. Plants with determinate foliage; cover are borne in clusters of 3 to 6; are pear shaped, and 1½ inches wide. Tomatoes are solid with tremain in condition for use for a long period. scarlet red.	21	parse.	Fruits					
Jubi	lee	-	80	2.25	8.00				
	Fruits are orange-yellow, very large, smooth, do few seeds and mild flavor. Vines are inderterminiform and upright. Prolific over a long seaso tinctive variety with large, deep orange colored	eer ina n. l, 1	round te, vig A ver neaty	l with orous, y dis- fruits.					
Stok	escross No. 4				. 5.00				
	75 days to maturity after transplanting. One of tomatoes ever introduced. Its hybrid vigor ena to develop a heavy crop of 6 to 7 ounce fruits. Thybrid is already looked upon as a variety of en tance by the grower and shipper group, and by t for canneries. Its surprising vigor is at once see to produce large, solid, highly flavored fruit in e titles. Highly acceptable to the "Green Wrap" trature fully 10 days in advance of Rufgers and will gers in production by a wide margin. It is almost factor probably due to its deeper root system. She will develop full color right to the stem. Its int will allow long distance shipping. It is noted for sweet flavor.	ho n no de ll st	mous 1 se who in its a rmous . It wil surpass crackf kescros ior stru	mpor- grow ability quan- ll ma- Rut- ree, a s No.					
Stoke	escross No. 5			l oz	. 5.00				
	82 days to maturing after transplanting. This wo has many points of similarity with Stokescros Stokescross No. 5 has heavier foliage which is an tage under burning sun. Yields exceeding 30 tons been recorded because of its long harvest seas vigor develops a strong full vine which sets hear develops highly flavored and highly colored fruit. has the same qualities of crack resistance as Stol No tomato is completely crack free following a hinterior of Stokescross No. 5 is very solid, making both as a long distance shipper and as a canner.	ear	erful to No. 4 dded a er acre. Its hy and is F2 he scross I wy rain satisfa	omato , but dvan- have lybrid which lybrid No. 4 The letory					
Stoke	escross No. 6			l oz	. 5.00				
	This tomato is an F2 generation. It is looked on strongest tomato introductions in years. This made largely on three counts. It is crack resistan ium Wilt resistant and it is free from yellow top season maturity, requiring eighty days for ripenin in the field. The fact that it holds its foliage until of the season accounts for the excellent flavor of	ju nt. s. g il t	s one or	of the nt is usar-main etting y end mato.					

TURNIP

1 oz. will plant 100 ft. row; 1 to 2 lbs. per acre

1 oz. Will plant 100 ft. row	, '	10 2 1	D3.	per au		
	1	oz.	1/4	lb.	1 lb.	10 lbs.
Extra Early White Milan	\$.20		.50	\$1.50	\$13.50
Best white variety for market garder pact, strap-leaved. Roots medium so entirely white; flesh fine grained, mil	n f	orcing.	Tor inche ider.	os sma es acro 40 day	ll, com- ss, flat, 's.	
Extra Early Purple Top Milan		.20		.50	1.50	13.50
A very early variety of mild flavor Roots flat, 3½ inches across, purplis below; flesh white, fine grained, mild	.]	lops sired ab	mall, ove der.	strap ground 40 day	-leaved. l, white s.	
Purple Top White Globe		.20		.50	1.50	13.50
An outstanding strain for market gar compact, erect, dark green and c smooth. 4 to 5 inches diameter, in with pure white bottom; flesh wh tender. 55 days.	- A	ners. T -leaved se pur , firm,	ops l. R plish fin	mediui oots g i-red t e-grain	m large, clobular, cop half led and	
Improved Golden Ball		.20		.50	1.50	13.50
The best yellow-fleshed turnip. Tops globular, 3 to 4 inches diameter, sm flesh yellow, firm, fine-grained. Good	sm oot d k	all and h exter reeper	d cut rior 60 d	-leaved orange lays.	d. Roots -yellow;	
FOLIAGE T	ΓU	RNI	P			
	1	oz.	1/4	lb.	1 lb.	10 lbs.
Extremely hardy foliage turnip grand Roots woody, fibrous, tough and in merous leafy shoots which are excelled by and produces an abundance of te	owi edi ent	.20 n princ ble; cr for gr er leav	cipal own eens	.50 ly for sends . Grow	\$1.50 greens. up nu- s rapid-	\$13.50
WATERM	(E)	LON				
1 oz. will plant 30 hills;	3 t	o 4 lb	s. pe	r acre		
	1	oz.	1/4	lb.	1 lb.	10 lbs.
Kleckleys Sweet	\$.20	\$.60	\$2.00	\$19.00
A popular garden variety. Fruits 24 meter large cylindrical shape; skin of flesh bright scarlet, sweet, crisp creamy white with trace of brown.	iar.	k bluis	n-gr	een; rı	na tnin;	
New Hampshire Midget				.30	.95	3.00
Introduced by the New Hampshire small or "ice-box" type of Melon wearlier than most varieties in Not small, elliptically shaped, about thr with a thin light green rind and marvested at early maturity, since i becomes overripe. 63 days.	Ex hic the	perime h reac ern ar pound	ent shes eas. Is, b	right 1	red flesh	

Most popular for preserves, fruit 6 to 8 inches diameter, nearly round; skin is alternating light and dark green striped; flesh solid white and not edible in raw state. Seeds smooth red. 90 to 95 days.

Citron, Red Seeded

2.50

.80

CHOICE FLOWER SEEDS

AGERATUM	4			
Midget Blue	\$.15	\$1.40	\$4.00	
ALLYSSUM				
Little Gem		.60	1.75	
Carpet of Snow	.10	.60	1.75	
Royal Carpet	.15	1.40	4.00	
Violet Queen	.10	.75	2.50	
ANTIRRHINUM (SNAPDRAGON)				
Large Flowering Half Dwf. Mixed		1.00	3.75	
Tetraploid Choice Mixed	.25	1.40	4.00	
ASTER (WILT RESISTANT)				
Crego's Giant Comet Mixed	.10	.75	2.00	6.00
American Branching Mixed	.10	.75	2.00	6.00
Queen of the Market Mixed	.10	.75	2.00	6.00
CALENDULA				
Double Finest Mixed	.10	.35	1.00	
CANDYTUFT			_,,,	
Umbellata Finest Mixed	.10	.50	1.50	
CENTAUREA (BACHELOR BUTTO)		.00	1.50	
Cyanus Double Mixed	.10	.75	2.00	
-	.10	./3	2.00	
DAHLIA	15		0.05	
Unwin's Dwarf Hybrids Mixed	.15	.75	2.25	
GOURDS				
Small Varieties Mixed	.10	.20	.50	1.75
IPOMEA (MORNING GLORY)				
Heavenly Blue	.10	.50	1.50	
Pearly Gates	.10	.50	1.50	
Scarlet O'Hara	.10	.50	1.50	
MARIGOLD				
Tall Double African Mixed	.10	.50	1.50	
Dwarf Double French Mixed	.10	.50	1.50	
Dwarf Double Midget Harmony	.10	.75	2.00	
Dwarf Double Butterball	.10	.75	2.00	
Dwarf Double Sunkist	.10	.75	2.00	
Dwarf Double Spry Hybrids	.10	.75	2.00	
PETUNIA				
Hybrid Dwarf Bedding Mixed	.15	1.40	4.50	
PHLOX				
Drummondii Mixed	.15	.85	3.00	
PORTULACA	***		0.00	
Single Flowered Mixed	.10	.75	2.50	
Double Flowered Mixed	.15	1.40	4.00	
SALVIA	.10	1.40	4.00	
America	.25	0.00	0.00	00.00
Bonfire	.25	2.00 1.85	6.00	20.00
	.43	1.05	5.75	18.00
STOCKS				
Large Flowering 10 weeks mixed	.15	.75	2.50	
VERBENA				
Choice Mixed	.15	.80	3.00	
ZINNIA				
California Giants Mixed	.10	.50	1.50	5.00
Giant Dahlia Flowered Mixed	.10	.50	1.50	5.00
Lilliput or Pompom Mixed	.10	.50	1.50	5.00
Zinnia - \$14.00 p	ייים אמניי	nd		
Διιτιμα - φ14.00 [er pour	ıu		

We carry a full line of farm tools and repair parts, some of which are listed below. We request you to write us for information and prices on the particular tools or repair parts in which you are interested.

Bedders, Rollers and Markers, Multiple-row Seeders and Cultivators for Ford and Ferguson Tractors

Holland Transplanters

Planet Jr. Hand and Horse Tools

Planet Jr. Tractors

Clark Disc Harrows

Smoothing or Meeker Harrows

Spike Tooth Harrows

Aeroil Burners and Sprayers

Plows, Horse or Tractor Drawn

Plow Shares, Landslide, Mouldboards for Oliver, John Deere, Syracuse, South Bend, Ford and Ferguson Plows

Lime and Fertilizer Spreaders, Horse or Tractor Drawn

Cultivators, Horse and Tractor Drawn

Markers, Horse and Tractor Drawn

Transplanters

Seeders, Hand, Horse and Tractor Drawn

Dusters, Hand, Horse and Tractor Drawn

Irrigation Equipment, White Showers and March

Tying Machines, Felins

Vegetable Washes

Repairs for all Farm Machinery

Garden Forks, Manure Forks, Steel Rakes, Wood Rakes, Potato Hooks, Dibbles, Vegetable Knives, Trowels, Weeders, Garden Hoes, English Scuffle Hoes, Spades, etc.

We can build special equipment or attachments for your special needs.

ORDER SHEET

TETHER SEED CO., INC.

47 - 49 FAIR STREET, PATERSON, N. J.

	•••••	19	5
NAME	***************************************		
	R.F.D.		• • • • •
	E STATE		• • • • •
	L SIAIE	• • • • • • • • •	• • • • •
FREIGHT of EXPRESS OF	FICE	•••••	
are as described	O., INC. warrants to the extent of the purchase pri on the container within recognized tolerances. We express or implied.	ce that s	eeds solo
QUANTITY	NAME OF SEEDS OR ARTICLES WANTED	PR	ICE
1		1	1
			1
		-	
			-
			-
			-
		-	
		 	
		 	
		<u> </u>	
		1	
		1	

QUANTITY	NAME	OF SEEDS	SEEDS OR AR		WANTED	PRICE	
						ļ	
						-	
					····		
						 	
						1-	
						1	

Postage Will be Paid by Addressee



BUSINESS REPLY ENVELOPE


FIRST CLASS PERMIT NO. 71,

PATERSON, N. J.

TETHER SEED CO., INC.

47 FAIR STREET

PATERSON, N. J.



TWINE

Jute—1, 2 or 3 ply, on roels weighing approximately 50 lbs ea. Cotton Twine—6 ply—2½ lb. cones.

Above Twines Market Price

Red Rubber Celery Bands-Market Price.

Red, Yellow, Green or Blue Cauliflower Bands-Market Price.



INSECTICIDES AND FUMIGANTS

Arasan (Dampening Off Disinfectant)

Arsenate of Lead Powder

Black Leaf 40 (Sulphate of Nicotine)

Bordeaux Mixture Powder

Calomel

Calomel Gypsum Dust

Copper Dust

Corrosive Sublimate (Bichloride of Mercury)

D. D. T. Dust

Paris Green

Red Arrow Garden Spray (Pyrethrum Spray)

Rotenone Dust

Semesan

Semesan Jr.—For Corn

Stanley's Crow Repellant

All above Insecticides and Fumigants - Market Price

1957

4982

WHOLESALE PRICE LIST FOR MARKET GARDENERS

વ્કઇ્ઇસ્ટ

TETHER SEED CO., INC.

47-49 Fair Street - - - Paterson, N. J. Phone: SHerwood 2-2130